

MINT is an all-in-one POS device. With this POS, both payment and receipt printing are available at the same time, and the sign pad can be replaced by tilting the screen. It features a wide screen with a 10.1-inch display, and it has sufficient expandability through USB and serial ports, so there is no difficulty in implementing various functions.



FEATURES

WINDOWS : N6210

TILTING SCREEN
CAN REPLACE SIGN PAD

AMPLE I/O PORTS
SIMPLE SYSTEM EXPANSION


3" JAM-FREE
AUTO CUTTER PRINTER

10.1"
DISPLAY

RETAIL AND
HOSPITALITY



BENEFITS



A PERFECT ALL-IN-ONE POS TERMINAL CAPABLE OF ACCEPTING PAYMENT WITH MSR, SCR AND NFC AND A BUILT-IN PRINTER.

BY TILTING THE LCD TOWARDS THE CUSTOMER, IT CAN BE USED AS A SIGNATURE PAD.



NEW ALL-IN-ONE POS WITH INNOVATIVE DESIGN THAT ENHANCES THE VALUE OF SPACE.

OPTIMIZED AND STYLISH DESIGN THAT ENHANCES THE USER ENVIRONMENT IN SPECIALTY STORES AND FRANCHISE INDUSTRY.

SPECIFICATION

SYSTEM

OPERATION SYSTEM	Windows 10 IoT Enterprise LTSC
PROCESSORS	Intel® Celeron™ N6210 (1.5M L2 Cache, 1.2 GHz) Dual-core processor, Fanless
MEMORY	8GB Standard, DDR4 3200 MT/s, 1 x SODIMM Socket (Max. 32GB)
STORAGE	1. Form Factor NVMe M.2 2242-D2-M (No capacity limit.) 2. Mountable quantity : Up to 1 unit can be installed. * Factory Default : 1 x NVMe M.2 2242 128GB
PRINTER	3" Jam-Free Thermal, Max. 250mm/s, 203dpi, Auto Cutter, Built-in Type

DISPLAY

TYPE	10.1" TFT LCD, LED Backlight
RESOLUTION	1280 x 800
BRIGHTNESS	400 cd/m ²
TOUCHSCREEN	Projected Capacitive Touch

INTERFACE

USB	Rear 5, 3 x USB 2.0 / 1 x USB 3.0 / 1 x USB-C Internal 5, 2 x USB 2.0 / 3 x USB 2.0 (Reserved MSR / SCR+MSR / Touch Controller)
SERIAL	External 4, COM1, COM2 RJ-45 , Full Signal COM3, COM4 RJ-12, Only TX/RX Internal 3, COM5 Reserved for Printer COM6 Reserved for SCR COM7 Reserved for NFC or VFD
LAN	1 x Gigabit Ethernet (RJ-45)
CASHDRAWER PORT	1 x RJ-12
POWER DC-IN	3 Pin DIN Jack

POWER

POWER SUPPLY	Adapter 24V, 2.5A
---------------------	-------------------

PHYSICAL & ENVIRONMENTAL

OPERATING TEMPERATURE	0°C ~ 60°C at 10% to 90% Humidity
STORAGE TEMPERATURE	-20°C ~ 80°C at 10% to 90% Humidity
DIMENSIONS (W X H X D)	244 x 172.1 x 200.4(mm), 9.6 x 6.78 x 7.89(in)
PACKING DIM (W X H X D)	320 x 316 x 330(mm) , 12.6 x 12.4 x 13(in)
NET WEIGHT	2,400g , 5.3lbs
PACKING WEIGHT	3,500g , 7.7lbs
COLOR	Matte Black, Matte White

OPTIONS & PERIPHERALS

MAGNETIC STRIPE READER	Comply with ISO 7811, Support 2 & 3 Track (Factory option)
SMART CARD READER	EMV Level 1 (Factory option)
NFC READER	External device (Factory Option)
WIFI/BT	WiFi : USB Dongle (Factory Option) BT : USB Dongle (Factory Option)

*Specifications may change without prior notice.